




REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
—	—	—	—	




RED BARN MACHINE	
TITLE LIFTING EYE	
DWG NO. TM1821P001-E	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: PERRITT APPROVED HEAT TREAT FINISH SPEC
FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 3-18-08
SHEET 1 of 1	

ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MAT.	B/O INFORMATION OR SPECIFICATIONS	Pg.
			E	1	LIFTING EYE	RND. BAR	1018 Ø7/16 x 12	

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVAL
—	—	—	—	—




 RED BARN MACHINE	
TITLE U-BOLT	
DWG NO. 881 5 099 725 B	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	DRAWN BY: PERRITT APPROVED HEAT TREAT FINISH SPEC USED ON MODEL
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 11-15-07
SHEET 1 of 1	

ASSEMBLY QTY	QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MAT.	B/O INFORMATION OR SPECIFICATIONS	Pg.
			B	1	RND. BAR	1018	Ø3/8 x 9	

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPRO'
—	—	—	—	

[illegible]

 RED BARN MACHINE			
TITLE _____			
DWG NO. _____			RE _____
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± .5°		DRAWN BY: PERRITT APPROVED _____ HEAT _____ TREAT _____ FINISH _____ SPEC _____	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL _____ _____ _____	
SCALE	NTS	DATE	8-15-07
		SHEET	1 of 3

